

# References



- Stephens, A.D., et al., *ICSH recommendations for the measurement of haemoglobin F*. Int J Lab Hematol, 2012. **34**(1): p. 14-20.
- Stephens, A.D., et al., *ICSH recommendations for the measurement of haemoglobin A2*. Int J Lab Hematol, 2012. **34**(1): p. 1-13.
- Traeger-Synodinos, J., et al., *EMQN Best Practice Guidelines for molecular and haematology methods for carrier identification and prenatal diagnosis of the haemoglobinopathies*. Eur J Hum Genet, 2015. **23**(4): p. 426-37.
- Teixeira, C., D. Pina, and M.I. Freitas, *Automated detection of unstable hemoglobin variants by Sysmex XE-Series analyzers*. Clin Chem Lab Med, 2017. **55**(11): p. e243-e246.
- Yudin, J. and M. Verhovsek, *How we diagnose and manage altered oxygen affinity hemoglobin variants*. Am J Hematol, 2019. **94**(5): p. 597-603.
- Jamwal, M., P. Sharma, and R. Das, *Laboratory Approach to Hemolytic Anemia*. Indian J Pediatr, 2020. **87**(1): p. 66-74.
- Roper, D., et al., *Laboratory diagnosis of G6PD deficiency. A British Society for Haematology Guideline*. Br J Haematol, 2020. **189**(1): p. 24-38.
- King, M.J., et al., *ICSH guidelines for the laboratory diagnosis of nonimmune hereditary red cell membrane disorders*. Int J Lab Hematol, 2015. **37**(3): p. 304-25.
- Rets, A., et al., *Molecular diagnostic update in hereditary hemolytic anemia and neonatal hyperbilirubinemia*. Int J Lab Hematol, 2019. **41** Suppl 1: p. 95-101.